



SAFETY DATA SHEET PUNCH PASTE POLISH

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME	PUNCH PASTE POLISH
PRODUCT NO.	WPO11001, WPO11002, WPO11003, WPO11004, WPO11005
APPLICATION	Restores colour, softens, nourishes leather and prevents cracking. Provides excellent protection against rain and stains. Buffs to a brilliant shine.
SUPPLIER	Punch Industries Wallingstown Little Island Co. Cork Ireland Tel. 00353 21 500 3330 Fax. 00353 21 435 4392 sds@punchindustries.com
EMERGENCY TELEPHONE	00353 21 500 3330

2 HAZARDS IDENTIFICATION

Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CLASSIFICATION N;R51/53. R66, R67.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
SOLVENT NAPHTHA (PETROLEUM), MEDIUM APLIP.	265-191-7	64742-88-7	60-100%	Xn;R65. N;R51/53. R10,R66,R67.

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

GENERAL INFORMATION

This product is supplied to the consumer in a 50ml tin.

INHALATION

Move the exposed person to fresh air at once.

INGESTION

Do not induce vomiting. Rinse nose, mouth and throat with water. Get medical attention.

SKIN CONTACT

Wash skin thoroughly with soap and water.

EYE CONTACT

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Alcohol resistant foam. Carbon dioxide or dry powder.

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6 ACCIDENTAL RELEASE MEASURES

PUNCH PASTE POLISH

ENVIRONMENTAL PRECAUTIONS

Do not discharge into drains, water courses or onto the ground.

SPILL CLEAN UP METHODS

Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Provide good ventilation.

STORAGE PRECAUTIONS

Store in tightly closed original container in a dry and cool place.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING MEASURES

Provide adequate ventilation.

RESPIRATORY EQUIPMENT

Respiratory protection not required.

HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves.

EYE PROTECTION

Not relevant.

9 PHYSICAL AND CHEMICAL PROPERTIES

ODOUR	Solvent.		
BOILING POINT (°C)	156-200	RELATIVE DENSITY	0.81

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions.

CONDITIONS TO AVOID

Avoid heat, flames and other sources of ignition.

11 TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION

No data recorded.

12 ECOLOGICAL INFORMATION

MOBILITY

Not relevant, due to the form of the product.

13 DISPOSAL CONSIDERATIONS

GENERAL INFORMATION

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

14 TRANSPORT INFORMATION

PUNCH PASTE POLISH



UK ROAD CLASS	9		
PROPER SHIPPING NAME	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (SOLVENT NAPHTHA (PETROLEUM), MEDIUM APLIP.)		
ROAD TRANSPORT NOTES	Not Classified		
RAIL TRANSPORT NOTES	Not Classified.		
SEA TRANSPORT NOTES	Not Classified.		
AIR TRANSPORT NOTES	Not Classified.		
UN NO. ROAD	3077	UK ROAD PACK GR.	III
ADR CLASS NO.	9	ADR CLASS	Class 9: Miscellaneous dangerous substances and articles.
ADR PACK GROUP	III	TUNNEL RESTRICTION CODE	(E)
HAZARD No. (ADR)	90	ADR LABEL NO.	9
HAZCHEM CODE	2Z	CEFIC TEC(R) NO.	90GM7-III
RID CLASS NO.	9	RID PACK GROUP	III
UN NO. SEA	3077	IMDG CLASS	9
IMDG PACK GR.	III	EMS	F-A, S-F
UN NO. AIR	3077	AIR CLASS	9
AIR PACK GR.	III		

15 REGULATORY INFORMATION

LABELLING



Dangerous for the environment

RISK PHRASES

R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

SAFETY PHRASES

S29	Do not empty into drains.
S61	Avoid release to the environment. Refer to special instructions/safety data sheets.

16 OTHER INFORMATION

REVISION DATE	23/06/2009
REV. NO./REPL. SDS GENERATED	5

RISK PHRASES IN FULL

R10	Flammable.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

PUNCH PASTE POLISH

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.