



## SAFETY DATA SHEET GUARDSMAN BLACK POLISH

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME	GUARDSMAN BLACK POLISH
PRODUCT NO.	WPO11023
APPLICATION	Restores colour, softens, nourishes leather and prevents cracking. Provides excellent protection against rain and stains. Buffs to a brilliant shine.
SUPPLIER	Punch Industries Wallingstown Little Island Co. Cork Ireland Tel. 00353 21 500 3330 Fax. 00353 21 435 4392 sds@punchindustries.com
EMERGENCY TELEPHONE	00353 21 500 3330

### 2 HAZARDS IDENTIFICATION

Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness. May cause sensitisation by skin contact. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CLASSIFICATION R43, N;R51/53, R66, R67.

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
SOLVENT NAPHTHA (PETROLEUM), MEDIUM APLIP.	265-191-7	64742-88-7	30-60%	Xn;R65, N;R51/53, R10,R66,R67.
TURPENTINE, OIL	232-350-7	8006-64-2	10-30%	R10 Xn;R20/21/22,R65 R43 Xi;R36/38 N;R51/53
ACID BLACK 63			1-5%	N;R51/53.

The Full Text for all R-Phrases are Displayed in Section 16

### 4 FIRST-AID MEASURES

#### GENERAL INFORMATION

This product is supplied to the consumer in a 50ml tin.

#### INHALATION

Move the exposed person to fresh air at once.

#### INGESTION

Do not induce vomiting. Rinse nose, mouth and throat with water. Get medical attention.

#### SKIN CONTACT

Wash skin thoroughly with soap and water.

#### EYE CONTACT

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart.

### 5 FIRE-FIGHTING MEASURES

#### EXTINGUISHING MEDIA

Alcohol resistant foam. Carbon dioxide or dry powder.

# GUARDSMAN BLACK POLISH

## PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

## 6 ACCIDENTAL RELEASE MEASURES

### ENVIRONMENTAL PRECAUTIONS

Do not discharge into drains, water courses or onto the ground.

### SPILL CLEAN UP METHODS

Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

## 7 HANDLING AND STORAGE

### USAGE PRECAUTIONS

Provide good ventilation.

### STORAGE PRECAUTIONS

Store in tightly closed original container in a dry and cool place.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	TWA - 8 hrs		STEL - 15 min		Notes
TURPENTINE, OIL	WEL	100 ppm	566 mg/m <sup>3</sup>	150 ppm	850 mg/m <sup>3</sup>	

WEL = Workplace Exposure Limit.

### ENGINEERING MEASURES

Provide adequate ventilation.

### RESPIRATORY EQUIPMENT

Respiratory protection not required.

### HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves.

### EYE PROTECTION

Not relevant.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

COLOUR Black

ODOUR Solvent.

BOILING POINT (°C) 156-200

RELATIVE DENSITY 0.81

## 10 STABILITY AND REACTIVITY

### STABILITY

Stable under normal temperature conditions.

### CONDITIONS TO AVOID

Avoid heat, flames and other sources of ignition.

## 11 TOXICOLOGICAL INFORMATION

### TOXICOLOGICAL INFORMATION

No data recorded.

## 12 ECOLOGICAL INFORMATION

### MOBILITY

Not relevant, due to the form of the product.

# GUARDSMAN BLACK POLISH

## 13 DISPOSAL CONSIDERATIONS

### GENERAL INFORMATION

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

## 14 TRANSPORT INFORMATION



UK ROAD CLASS	9		
PROPER SHIPPING NAME	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TURPENTINE, OIL)		
ROAD TRANSPORT NOTES	Not Classified		
RAIL TRANSPORT NOTES	Not Classified.		
SEA TRANSPORT NOTES	Not Classified.		
AIR TRANSPORT NOTES	Not Classified.		
UN NO. ROAD	3077	UK ROAD PACK GR.	III
ADR CLASS NO.	9	ADR CLASS	Class 9: Miscellaneous dangerous substances and articles.
ADR PACK GROUP	III	TUNNEL RESTRICTION CODE	(E)
HAZARD No. (ADR)	90	ADR LABEL NO.	9
HAZCHEM CODE	2Z	CEFIC TEC(R) NO.	90GM7-III
RID CLASS NO.	9	RID PACK GROUP	III
UN NO. SEA	3077	IMDG CLASS	9
IMDG PACK GR.	III	EMS	F-A, S-F
UN NO. AIR	3077	AIR CLASS	9
AIR PACK GR.	III		

## 15 REGULATORY INFORMATION

### LABELLING



Irritant



Dangerous for the environment

CONTAINS TURPENTINE, OIL

### RISK PHRASES

R43	May cause sensitisation by skin contact.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

### SAFETY PHRASES

S2	Keep out of the reach of children
S24	Avoid contact with skin.
S37	Wear suitable gloves.
S46	If swallowed, seek medical advice immediately and show this container or label.

**16 OTHER INFORMATION**

REVISION DATE	23/06/2009
REV. NO./REPL. SDS GENERATED	5
RISK PHRASES IN FULL	
R10	Flammable.
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R36/38	Irritating to eyes and skin.
R43	May cause sensitisation by skin contact.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

## DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.